

CRSTAR E-NEWS

CODING EXTRANODAL LYMPHOMAS AND STAGE DESCRIPTORS

This enews serves as a reminder that when coding extranodal lymphomas that the two digit site code should always be coded to site 77 (Lymph Nodes) and the topography code to the extranodal site, i.e. stomach, lung, colon, etc. This groups these cases with the lymphomas for site distribution, but gives the registrar the correct surgery and staging codes for the extra nodal site. This enews will also address the use of the Stage Descriptor field in coding these sites. This field allows for easy populating of these cases in reporting. The enews also shows how to identify and correct cases of extranodal lymphoma coded not coded to site 77.

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>S/A:</td> <td>Flag:</td> <td>Site:</td> <td>Seq:</td> <td>Hsp:</td> <td>Class:</td> <td>Diagnosis Date:</td> <td>Acc Nbr:</td> </tr> <tr> <td><input type="button" value="Delete"/></td> <td>A</td> <td>T</td> <td>77</td> <td>00</td> <td>01</td> <td>10 / 03 / 12 / 2013</td> <td>01201300481</td> </tr> </table>	S/A:	Flag:	Site:	Seq:	Hsp:	Class:	Diagnosis Date:	Acc Nbr:	<input type="button" value="Delete"/>	A	T	77	00	01	10 / 03 / 12 / 2013	01201300481	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Topo Code:</td> <td>C169</td> </tr> <tr> <td>Lat Code:</td> <td>0</td> </tr> <tr> <td>Hist Code:</td> <td>96993</td> </tr> <tr> <td>Grade:</td> <td>6</td> </tr> <tr> <td>Ambig Term:</td> <td>0</td> </tr> <tr> <td>Sat Code:</td> <td></td> </tr> <tr> <td>Path Nbr:</td> <td>SS0366413</td> </tr> <tr> <td>Grade Path:</td> <td></td> </tr> </table>	Topo Code:	C169	Lat Code:	0	Hist Code:	96993	Grade:	6	Ambig Term:	0	Sat Code:		Path Nbr:	SS0366413	Grade Path:								
S/A:	Flag:	Site:	Seq:	Hsp:	Class:	Diagnosis Date:	Acc Nbr:																																	
<input type="button" value="Delete"/>	A	T	77	00	01	10 / 03 / 12 / 2013	01201300481																																	
Topo Code:	C169																																							
Lat Code:	0																																							
Hist Code:	96993																																							
Grade:	6																																							
Ambig Term:	0																																							
Sat Code:																																								
Path Nbr:	SS0366413																																							
Grade Path:																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Tnm Ed Nbr:</td> <td>07</td> </tr> <tr> <td>pT:</td> <td>88</td> </tr> <tr> <td>pN:</td> <td>88</td> </tr> <tr> <td>pM:</td> <td>88</td> </tr> <tr> <td>p Ajcc Grp:</td> <td>1A</td> </tr> <tr> <td>p Staged By:</td> <td>1</td> </tr> <tr> <td>p Stg Descriptor:</td> <td>1</td> </tr> </table>	Tnm Ed Nbr:	07	pT:	88	pN:	88	pM:	88	p Ajcc Grp:	1A	p Staged By:	1	p Stg Descriptor:	1	<ul style="list-style-type: none"> • Stage according to the Lymphoma staging scheme. • In the Stage descriptor field, use code 1(E) extranodal, lymphomas only) <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>None</td> </tr> <tr> <td>1</td> <td>E (Extranodal, Lymphomas Only)</td> </tr> <tr> <td>2</td> <td>S (Spleen, Lymphomas Only)</td> </tr> <tr> <td>3</td> <td>M (Mult. Prim. Tumors in a Single Site)</td> </tr> <tr> <td>4</td> <td>Y (Class. During or After Multimodality Therapy)</td> </tr> <tr> <td>5</td> <td>E&S (Extranodal and Spleen)</td> </tr> <tr> <td>6</td> <td>M&Y (Mult. Prim. Tumors and Initial Multimodality Therapy)</td> </tr> <tr> <td>9</td> <td>Unknown</td> </tr> </tbody> </table>	Code	Description	0	None	1	E (Extranodal, Lymphomas Only)	2	S (Spleen, Lymphomas Only)	3	M (Mult. Prim. Tumors in a Single Site)	4	Y (Class. During or After Multimodality Therapy)	5	E&S (Extranodal and Spleen)	6	M&Y (Mult. Prim. Tumors and Initial Multimodality Therapy)	9	Unknown							
Tnm Ed Nbr:	07																																							
pT:	88																																							
pN:	88																																							
pM:	88																																							
p Ajcc Grp:	1A																																							
p Staged By:	1																																							
p Stg Descriptor:	1																																							
Code	Description																																							
0	None																																							
1	E (Extranodal, Lymphomas Only)																																							
2	S (Spleen, Lymphomas Only)																																							
3	M (Mult. Prim. Tumors in a Single Site)																																							
4	Y (Class. During or After Multimodality Therapy)																																							
5	E&S (Extranodal and Spleen)																																							
6	M&Y (Mult. Prim. Tumors and Initial Multimodality Therapy)																																							
9	Unknown																																							
Code surgical procedures to the extra nodal site, i.e.																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Rx Date:</td> <td>Surg:</td> <td>SLNS:</td> <td>LNR:</td> <td>SORS:</td> </tr> <tr> <td>1 03 / 12 / 2013</td> <td>20</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 mm / dd / yyyy</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	Rx Date:	Surg:	SLNS:	LNR:	SORS:	1 03 / 12 / 2013	20				2 mm / dd / yyyy					<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Surgery</th> </tr> <tr> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>15</td> <td>Cryosurgery</td> </tr> <tr> <td>14</td> <td>Laser</td> </tr> <tr> <td>20</td> <td>Local tumor excision, NOS</td> </tr> <tr> <td>26</td> <td>Polypectomy</td> </tr> <tr> <td>27</td> <td>Excisional biopsy</td> </tr> <tr> <td>21</td> <td>Any combination of 20 or 26-27 WITH Photodynamic therapy (PDT)</td> </tr> <tr> <td>22</td> <td>Any combination of 20 or 26-27 WITH Electrocautery</td> </tr> <tr> <td>23</td> <td>Any combination of 20 or 26-27 WITH Cryosurgery</td> </tr> <tr> <td>24</td> <td>Any combination of 20 or 26-27 WITH Laser ablation</td> </tr> <tr> <td>25</td> <td>Laser excision</td> </tr> </tbody> </table>	Surgery		Code	Description	15	Cryosurgery	14	Laser	20	Local tumor excision, NOS	26	Polypectomy	27	Excisional biopsy	21	Any combination of 20 or 26-27 WITH Photodynamic therapy (PDT)	22	Any combination of 20 or 26-27 WITH Electrocautery	23	Any combination of 20 or 26-27 WITH Cryosurgery	24	Any combination of 20 or 26-27 WITH Laser ablation	25	Laser excision
Rx Date:	Surg:	SLNS:	LNR:	SORS:																																				
1 03 / 12 / 2013	20																																							
2 mm / dd / yyyy																																								
Surgery																																								
Code	Description																																							
15	Cryosurgery																																							
14	Laser																																							
20	Local tumor excision, NOS																																							
26	Polypectomy																																							
27	Excisional biopsy																																							
21	Any combination of 20 or 26-27 WITH Photodynamic therapy (PDT)																																							
22	Any combination of 20 or 26-27 WITH Electrocautery																																							
23	Any combination of 20 or 26-27 WITH Cryosurgery																																							
24	Any combination of 20 or 26-27 WITH Laser ablation																																							
25	Laser excision																																							

CRSTAR E-NEWS

CODING EXTRANODAL LYMPHOMAS AND STAGE DESCRIPTORS

Populations of extranodal lymphomas can easily be selected by using the stage descriptor fields. In the example below the selection criteria are the stage descriptors for extranodal sites for a given year. **NOTE:** **To select all the extranodal lymphomas in the entire database, you can skip step 1 and just select the population based on items 805 and 806.**

Select a Population

Population Label:	2013 cases	Hospital:	01 HOSPITAL 01 - DEMODATA																									
New Label:																												
Requested By: Melanieadmin Request Date: 11/06/14																												
Site Codes <table border="1"> <thead> <tr> <th>Site</th> <th>Site Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td></td> </tr> <tr> <td>2</td> <td></td> </tr> <tr> <td>3</td> <td></td> </tr> </tbody> </table> <input type="checkbox"/> Analytic Cases Only <input type="checkbox"/> Complete Cases Only <input type="radio"/> Abstract/Suspect Cases <input type="radio"/> Abstract Cases Only <input type="radio"/> Suspect Cases Only <input checked="" type="radio"/> All Cases				Site	Site Description	1		2		3																		
Site	Site Description																											
1																												
2																												
3																												
Selection Criteria <table border="1"> <thead> <tr> <th>Item Nbr</th> <th>Item Description</th> <th>Relation</th> <th>Data Values</th> <th>Logic</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>150 Date of Diagnosis</td> <td>=</td> <td>*2013</td> <td>And</td> </tr> <tr> <td>2</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>				Item Nbr	Item Description	Relation	Data Values	Logic	1	150 Date of Diagnosis	=	*2013	And	2					3					4				
Item Nbr	Item Description	Relation	Data Values	Logic																								
1	150 Date of Diagnosis	=	*2013	And																								
2																												
3																												
4																												

Select a Population


Population Label:	2013 cases	Hospital:	01 HOSPITAL 01 - DEMODATA																				
New Label:	2013 EXTRANODAL LYMPHOMAS																						
Requested By: Melanieadmin Request Date: 11/06/14																							
Site Codes <table border="1"> <thead> <tr> <th>Site</th> <th>Site Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td></td> </tr> <tr> <td>2</td> <td></td> </tr> <tr> <td>3</td> <td></td> </tr> </tbody> </table> <input type="checkbox"/> Analytic Cases Only <input type="checkbox"/> Complete Cases Only <input type="radio"/> Abstract/Suspect Cases <input type="radio"/> Abstract Cases Only <input type="radio"/> Suspect Cases Only <input checked="" type="radio"/> All Cases				Site	Site Description	1		2		3													
Site	Site Description																						
1																							
2																							
3																							
Selection Criteria <table border="1"> <thead> <tr> <th>Item Nbr</th> <th>Item Description</th> <th>Relation</th> <th>Data Values</th> <th>Logic</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>805 Path Stage Descriptor (Prefix)</td> <td>=</td> <td>1</td> <td>Or</td> </tr> <tr> <td>2</td> <td>806 Clin Stage Descriptor (Prefix/)</td> <td>=</td> <td>1</td> <td>Or</td> </tr> <tr> <td>3</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>				Item Nbr	Item Description	Relation	Data Values	Logic	1	805 Path Stage Descriptor (Prefix)	=	1	Or	2	806 Clin Stage Descriptor (Prefix/)	=	1	Or	3				
Item Nbr	Item Description	Relation	Data Values	Logic																			
1	805 Path Stage Descriptor (Prefix)	=	1	Or																			
2	806 Clin Stage Descriptor (Prefix/)	=	1	Or																			
3																							

1. First select a population of cases for the year. In this example **Dx Date EQ 2013**.
2. Create a subpopulation, by typing a new label. **2013 Extranodal Lymphomas**.
3. Delete line 1, item number 151 and enter **805 P Stage Descriptor EQ 1 OR 806 C Stage Descriptor EQ 1**, then select.

Code	Description
0	None
1	E (Extranodal, Lymphomas Only)
2	S (Spleen, Lymphomas Only)
3	M (Mult. Prim. Tumors In a Single Site)
4	Y (Class. During or After Multimodality Therapy)
5	E&S (Extranodal and Spleen)
6	M&Y (Mult. Prim. Tumors and Initial Multimodality Therapy)
9	Unknown

There are many reports that can be generated from this population selection criteria.

ACC NBR	SITE CODE	TOPO	MORHO
1201300023	LYMPH NODES	STOMACH, NOS	95953
1201300562	LYMPH NODES	COLON, NOS	96803
1201300047	LYMPH NODES	LUNG, NOS	96823



CRSTAR E-NEWS

CODING EXTRANODAL LYMPHOMAS AND STAGE DESCRIPTORS

If you have not been coding the extranodal lymphomas in the Stage descriptor fields, a global data change can be made after selecting a population of the extra nodal cases. Three populations will need to be selected. Refer to page 224 in the user manual.

Select a Population

Population Label: EXTRANODAL LYMPHOMAS Hospital: 01 HOSPITAL 01 - DEMODATA
Requested By: Melanie Request Date: 11/06/2014

Site Codes	Site	Site Description
1	77	LYMPH NODES
2		
3		

Selection Criteria

Item Nbr	Item Description	Relation	Data Values	Logic
1	133	<>	C77*	And
2				
3				
4				
5				

Start Time: 4:07:28 PM End Time: 4:07:28 PM Records Selected: 382

Select Delete Label Edit Selection New Exit

Select a Population

Population Label: EXTRANODAL LYMPHOMAS Hospital: 01 HOSPITAL 01 - DEMODATA
New Label: EXTRANODAL LYMPHOMAS C STG DESC Requested By: Melanie Request Date: 11/06/2014

Site Codes	Site	Site Description
1	77	LYMPH NODES
2		
3		

Selection Criteria

Item Nbr	Item Description	Relation	Data Values	Logic
1	371	<>		Or
2	371	<>	99,	Or
3				
4				
5				

Select a Population

Population Label: EXTRANODAL LYMPHOMAS Hospital: 01 HOSPITAL 01 - DEMODATA
New Label: EXTRANODAL LYMPHOMAS P STG DESC Requested By: Melanie Request Date: 11/06/2014

Site Codes	Site	Site Description
1	77	LYMPH NODES
2		
3		

Selection Criteria

Item Nbr	Item Description	Relation	Data Values	Logic
1	124	<>		Or
2	124	<>	99,	Or
3				
4				
5				

- For POP 1, select the population for asking for Site 77 and Topography Code (Not equal to C77*).
- For POP 2, create a subpopulation. Type in a new label. Example: Extranodal Lymphomas Clinical Stage Descriptor.
- Delete line 1 (133-Topo Code) and enter item numbers 371 as shown. This population will select cases where the P stg group is either blank or coded to 99. **Use the logic OR.**
- For POP 3, in the new label, change Clinical Stg Descriptor to Path Stg Descriptor.
- Change item numbers 371 to 124 as shown. This will select cases where the P stage descriptor is either blank or coded to 99. **Use the logic OR.**

CRSTAR E-NEWS

CODING EXTRANODAL LYMPHOMAS AND STAGE DESCRIPTORS

Now that the populations have been selected the global changes can be made. It will be necessary to make two separate global changes. One for the Clinical Stage Descriptor and the other for the Path stage descriptor.

Global Data Change

Population Label: EXTRANODAL LYMPHOMAS C STG DESCRIPTOR

Item Number: 806 Clin Stage Descriptor (Prefix/suffix)

Change From	Change To
1 ALL	1
2	
3	
4	
5	
6	

Code Description

1 E (Extranodal, Lymphomas Only)

Ok New Exit

Global Data Change

Population Label: EXTRANODAL LYMPHOMAS P STG DESCRIPTOR

Item Number: 805 Path Stage Descriptor (Prefix/suffix)

Change From	Change To
1 ALL	1
2	
3	
4	
5	
6	

Code Description

1 E (Extranodal, Lymphomas Only)

Ok New Exit

1. Log in as the System Administrator.
2. Under Sys Admin, go to Global Change.
3. Enter the population for the Extranodal Clinical descriptors. Enter item number 806 (C stg descriptor). In Change from type ALL and in Change to enter code 1.
4. Click OK.
5. Enter the population for the Extranodal Path descriptors. Enter item number 805 (P stg descriptor). In Change from type ALL and in Change to enter code 1.
6. Click OK.

IMPORTANT: Please ensure you have a backup before performing global changes. (Backups are done for ASP (Internet) clients. Please contact ERS before performing globals to ensure a backup has been done.) Also, make sure all users are out of the system before performing a backup and/or global changes.