

A new Survivorship Care Plan (SCP) has been added to CRStar. In developing the SCP, we incorporated many of the features of our current Treatment Summary form and combined them with ASCO's SCP forms. The SCP forms available are Breast, Lung, Colon, Prostate, and a generic form to be used for all other sites. The information shared between the fields in the abstract and the SCP will automatically fill in as they do with our many other forms. This insight will outline the use of the new SCP as well as a few other new changes.

Previously, CRStar utilized the Journey Forward SCP templates. Journey Forward has been discontinued and their website has been taken offline. However, if users have already downloaded the Journey Forward application, it can still be used within CRStar.

Note: No updates will be made to the Journey Forward application going forward. Access to Journey Forward may be discontinued from use within the CRStar application as users transition to the new CRStar SCP.

Change to Short Cut Menu

CRStar Shortcuts			The Journey Forward shortcut icon has been renamed Print SCP					
Patient Lookup	Select A Pop	Print Abstract	Print S	bring up th Survivorship Care P Patient Name:	he lookup for the new SCP.			
Print Tx Summary	Delete An Abstract	Copy Abstract	s	ite: equence: lospital:				
Print Dem Letter	Print SCP	Web Links		Med Rec Nbr:				



Change to Main Menu

A new tab has been added under Abstract Management called Print Forms. Several forms were moved from Abstract Utilities to this section along with the new SCP form. These include Print Abstract, Print Tx Summary/Custom Form and Print QA form.

Note: Users that have created their own custom forms can access those, as well as the Tx Summary, under the Print Tx Summary/Custom forms tab. Abstract Utilities now contain the functions: Delete an Abstract, Copy an Abstract and Combine Patients.

Patient Abstract Print Forms Abstract Utilities DLIOW UP MANAGEMENT		ostract	Tx Summary/Custo		
Abstract Utilities		JSuaci		m QA	SCP
		ete Abstrac	Copy Abstract		_
LLOW OP MANAGEMENT			Copy Abstract		13
PORTING					
STEM ADMINISTRATION	The Surviv	orship Ca	re Plan can be g	generated fo	or individual
STEM MANAGEMENT			a population of	•	
REFERENCES	•		idual patient or	•	
ELP			e drop down. Cl	•	population

All fields are editable from the screen prior to printing. Click on the field, as shown below, to modify.

	cuncer meatment built	mary and Survivors	lip care Plan
	Patien	t Identification	
Medical Record Number:	212579	Address:	528 RAINBOW LANE
Patient Name:	KITTY MARY DEMO	City/State/Zip:	RICHMOND, TX 77406
Date of Birth:	02/10/1942	Phone:	(281) 528-1598
		Email:	oneday@aol.com
Surgeon:	GEORGE E JETSON	Care Team (800) 999	-9999
Medical Oncologist:	AMY DEVASHER ADAMS	(601)	
Radiation Oncologist:	ALANIS C MORRISSETTE	(601) 268	-5185
Managing Physician:	WILLIAM I FAULKNER	(205) 975	-2691
Following Physician:	TOM S DOE	(334) 414	-5900
Other Physician:			

Survivorship Care Plan Editing and Printing Practices

- Once the SCP has been generated and displayed on screen, the user may make modifications prior to printing the form.
- All fields are editable.
- Sections with check boxes are active and can be checked on screen.
- When editing text from the abstract, the text box may be expanded to increase the size. The user can place the curser on the double lines in the lower right side of the text box and drag it to make it larger.
- Follow-up providers and frequencies of procedures are editable.
- A list of the patients the SCPs were generated for may be printed.
- When the user selects the print option, the form opens as a print preview.
- All print options default but may be changed, i.e. destination, pages printed, layout and color.
- The user can click more settings on the preview window for more customization with margins, scale, etc.
- The background graphics box is the default. This produces the blue headers. If removed, the header text will remain, without the graphic.
- Headers and footers may be checked but cannot be modified by the user.
- After all modifications (if any) have been made, choose the print option at the bottom of the preview page.
- The print destination will default to the user's default printer but may be changed by choosing another location from the drop down. This can be used to save to a PDF or other format to save to a specific location.

		Destination Pages Copies Layout Color More settings Paper size
		Pages Copies Layout Color More settings
		Copies Layout Color More settings
		Copies Layout Color More settings
		Copies Layout Color More settings
		Layout Color More settings
		Layout Color More settings
		Color More settings
		Color More settings
		More settings
		More settings
		More settings
	/	Paper size
		Paper size
		1 MP
r -		
		Pages per sheet
		Margins
		Quel.
		Scale
		Two-sided
		1110 01000
		Options

Example of Page 1 of a Breast SCP

ate of Birth: 02/10/1942 Phone: (281) 528-1598 Email: oneday@aoi.com Care Team tedical Oncologist: AMY DEVASHER ADAMS adiation Oncologist: AMY DEVASHER ADAMS adiation Oncologist: ALANIS C MORRISSETTE (601) 268-5185 thanaging Physician: WILLIAMI FAULKNER (205) 975-2691 Oliowing Physician: TOM S DOE (334) 414-5900 ther Physician: three Navigator: Tumor Characteristics three Navigator: Tumor Characteristics there Physician: three Navigator: Constraints of the special type (C50_) [BREAST ONLY] taterality: Right: Origin of Primary forade (favorable), SBR sc Clinical: Group: 18 (cT1b / cN0 / dM Pathological: G1: Low combined histologic grade (favorable), SBR sc Clinical: Group: 18 (cT1b / cN0 / dM Pathological: G2: Intermediate combined histologic grade (favorable), SBR sc Clinical: Group: 18 (cT1b / cN0 / dM Pathological: G2: Intermediate combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1 / ypN0 / dMO Pathological: G2: Intermediate combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1 / ypN0 / dMO Pathological: G2: Intermediate combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1 / ypN0 / dMO Pathological: G2: Intermediate combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1 / ypN0 / dMO Pathological: G2: Intermediate combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1 / ypN0 / dMO Pathological: ER positive Progesterone: PR negative HEB2/neu: Negative (Score 1+) hodes Positive: No nodes were examined No regional nodes were removed, but aspiration of regional nodes was performed N Removal: Akilary Dissection Sc Sentinel Biopsy				Patient	dentifica	tion		
ate of Birth: 02/10/1942 Prove (281) 528-1598 Email: oneday@sol.com Care Team urgeon: GEORGE E JETSON (800) 999-9999 tedical Oncologist: AMY DEVASHER ADAMS adiation Oncologist: ALANIS C MORRISSETTE (601) 268-5185 thanaging Physician: WILLIAM I FAULKNER (205) 975-2691 Ollowing Physician: TOM S DOE (334) 414-5900 ther Physician: TOM S DOE (500_) [BREAST ONLY] taterality: Right: Origin of Primary frinary Site: Upper-inner quadrant of breast listology: Invasive carcinoma of no special type (C50_) [BREAST ONLY] taterality: Right: Origin of Primary frinde (1 Low combined histologic grade (favorable), SBR sc Clinical: G1: Low combined histologic grade (favorable), SBR sc Clinical: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Progesterone: PR negative HE82/neu: Negative (Score 1+) hodes Positive: No nodes were examined hodes Examined: No regional nodes were removed, but aspiration of regional nodes was performed N Removal: C1 Axillary Dissection C1 Sentinel Biopsy	Medical Record Numb	er: 212579			Address	:	528 RAINBOW L	ANE
Email: oneday@sol.com Care Team urgeon: GEORGE E JETSON (800) 999-9999 tedical Oncologist: AMY DEVASHER ADAMS adiation Oncologist: ALANIS C MORRISSETTE (601) 268-5185 tanaging Physician: WILLIAM I FAULKNER (205) 975-2891 ollowing Physician: TOM S DOE (334) 414-5900 Tumor Characteristics Tumor Characteristics A Descination of the sat Upper-inner quadrant of breast Invasive carcinoma of no special type (C50_) [BREAST ONLY] attraitiv: Right: Origin of Primary Grade AJCC Staging Clinical: Group: 1B (CT1b / cN0 / eM Pathological: G2: Low combined histologic grade (favorable), SBR sc Clinical: Group: 1B (CT1b / cN0 / eM Pathological: G2: Low combined histologic grade (favorable), SBR sc Post Therapy: Group: 1B (CT1b / cN0 / eM Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: Group: 1A (pT1 / pN0 / eM Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: Gro	Patient Name:	KITTY MAR	Y DEMO)	City/Sta	te/Zip:	RICHMOND, TX	77406
Care Team urgeon: GEORGE E JETSON (800) 999-9999 tedical Oncologist: AMY DEVASHER ADAMS adiation Oncologist: ALANIS C MORRISSETTE (601) 268-5185 tanaging Physician: WILLIAM I FAULKNER (205) 975-2891 tanaging Physician: WILLIAM I FAULKNER (205) 975-2891 there Physician: TOM S DOE (334) 414-5900 there Physician: URITION OF Characteristics Tumor Characteristics Stee: 06/30/201 9 trimary Site: Upper-inner quadrant of breast listology: Invasive carcinoma of no special type (C50_) [BREAST ONLY] aterality: aterality: Right: Origin of Primary AJCC Staging Glinical: G1: Low combined histologic grade (favorable), SBR sc Clinical: Group: 18 (C11b / cN0 / eMO Pathological: G2: Intermediate combined histologic grade (moderate! Pathological: Group: 18 (C11b / cN0 / eMO Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: Group: 18 (C11b / cN0 / eMO Post Therapy: G1: Low combined histologic grade (favorable), SBR sc P	Date of Birth:	02/10/1942			Phone:		(281) 528-1598	
tedical Oncologist: AMY DEVASHER ADAMS adiation Oncologist: ALANIS C MORRISSETTE (601) 268-5185 anaging Physician: WILLIAM I FAULKNER (205) 975-2691 Inter Physician: WILLIAM I FAULKNER (205) 975-2691 Inter Physician: TOM S DOE (334) 414-5900 Inter Physician: InterPhysician: I					Em ail:		on eday@a ol.com	n
Intercent of the second se				Ca	re Team			
adiation Oncologist: ALANIS C MORRISSETTE (601) 268-5185 Ananging Physician: WILLIAM I FAULKNER (205) 975-2691 ollowing Physician: TOM S DOE (334) 414-5900 ther Physician: TOM S DOE (334) 414-5900 there Physician: Tom S DOE (334) 414-5900 there Physician: Tom S DOE (334) 414-5900 there Physician: Strongen: Strongen (1990) (1990) there Physician: Strongen: Strongen: Strongen (1990) (1990) there Physician: Strongen: Strongen: Strongen (1990) there Physician: Strongen: Strongen: Strongen (1990) there Physician: Strongen: Strongen: Strongen (1990) there Physician: Strongen: St	Surgeon:	GEORG	E E JE	ISON		(800) 999-999	99	
Analging Physician: WILLIAM I FAULKNER (205) 975-2691 Analging Physician: TOM S DOE (334) 414-5900 Ither Physician: TOM S DOE (334) 414-5900 ther Physician: Urgen (334) 414-5900 Turnor Characteristics Turnor Characteristics Turnor Characteristics Mage Colspan="2">Colspan="2" Colspan="2"	Medical Oncologist:	AMY D	VASHE	R ADAMS				
ollowing Physician: TOM S DOE (334) 414-5900 ther Physician:	Radiation Oncologist:	ALANIS	CMOR	RISSETTE		(601) 268-518	35	
ollowing Physician: TOM S DOE (334) 414-5900 ther Physician:	Managing Physician:	WILLIA	M I FAU	KNER		(205) 975-265	91	
Tumor Characteristics Tumor Characteristics Av Date: 06/30/2019 Upper-inner quadrant of breast tistology: Invasive carcinoma of no special type (C50) [BREAST ONLY] aterality: Right: Origin of Primary AJCC Staging Clinical: Group: 1B (cT1b / cN0 / dM Pathological: Group: 10 (ypT1 / ypN0 / dM Progesterone: PR negative Progesterone: PR negative Pathological: Sentinel Modes was performed N regional nodes were removed, but aspiration of regional nodes was perf	Following Physician:	TOM S	DOE			(334) 414-590	00	
Tumor Characteristics bx Date: 06/30/2019 rimary Site: Upper-Inner quadrant of breast listology: Invasive carcinoma of no special type (C50) [BREAST ONLY] aterality: Right: Origin of Primary Grade AJCC Staging Clinical: G1: Low combined histologic grade (favorable), SBR sc Clinical: Group: 1B (cT1b / cN0 / dM Pathological: G2: Intermediate combined histologic grade (moderatel Pathological: Group: 1A (pT1/ pN0 / dMO Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1 / ypN0 / dMO Receptors Estrogen: ER positive Progesterone: PR negative HER2/neu: Negative (Score 1+) No nodes were examined No regional nodes were removed, but aspiration of regional nodes was performed Nemoval: If Axillary Dissection Sentinel Biopsy	Other Physician:							
bx Date: 06/30/2019 rimary Site: Upper-inner quadrant of breast listology: Invasive carcinoma of no special type (C50_) [BREAST ONLY] aterality: Right: Origin of Primary Grade AICC Staging Clinical: G1: Low combined histologic grade (favorable), SBR sc Clinical: Group: 1B (cT1b / cN0 / dM Pathological: G2: Intermediate combined histologic grade (moderatel Pathological: Group: 1A (pT1 / pN0 / dMO Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1 / ypN0 / dMO Receptors Estrogen: ER positive Frogesterone: PR negative HER2/neu: Negative (Score 1+) No regional nodes were examined No regional nodes were removed, but aspiration of regional nodes was performed N Removal: If Axillary Dissection If Sentinel Biopsy Sentinel Biopsy	Nurse Navigator:							
bx Date: 06/30/2019 rimary Site: Upper-inner quadrant of breast listology: Invasive carcinoma of no special type (C50_) [BREAST ONLY] aterality: Right: Origin of Primary Grade AICC Staging Clinical: G1: Low combined histologic grade (favorable), SBR sc Clinical: Group: 1B (cT1b / cN0 / dM Pathological: G2: Intermediate combined histologic grade (moderatel Pathological: Group: 1A (pT1 / pN0 / dMO Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1 / ypN0 / dMO Receptors Estrogen: ER positive Frogesterone: PR negative HER2/neu: Negative (Score 1+) No regional nodes were examined No regional nodes were removed, but aspiration of regional nodes was performed N Removal: If Axillary Dissection If Sentinel Biopsy Sentinel Biopsy				Tumor C	hara <u>cteri</u>	stics		
rimary Site: Upper-inner quadrant of breast listology: Invasive carcinoma of no special type (C50) [BREAST ONLY] aterality: Right: Origin of Primary Grade AJCC Staging Clinical: G1: Low combined histologic grade (favorable), SBR sc Clinical: G1: Low combined histologic grade (favorable), SBR sc Pathological: G2: Intermediate combined histologic grade (moderatel Pathological: G2: Intermediate combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Estrogen: ER positive PR negative HER2/neu: Negative (Score 1+) No nodes were examined No regional nodes were removed, but aspiration of regional nodes was performed No regional nodes were removed, but aspiration of regional nodes was performed N Removal: Q1 Axillary Dissection Q2 Sentinel Biopsy	Dx Date:	06/30/2019						
Invasive carcinoma of no special type (C50) [BREAST ONLY] aterality: Right: Origin of Primary Grade AJCC Staging Clinical: G1: Low combined histologic grade (favorable), SBR sc Clinical: Group: 1B (cT1b / cN0 / dM Pathological: G2: Intermediate combined histologic grade (favorable), SBR sc Pathological: Group: 1A (pT1 / pN0 / dMO Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1 / ypN0 / dMO Receptors Estrogen: ER positive Progesterone: PR negative HER2/neu: No nodes were examined No regional nodes were removed, but aspiration of regional nodes was performed No regional nodes were removed, but aspiration of regional nodes was performed No Removal: I Axillary Dissection I Sentinel Biopsy Index set			rant of b	reast				
aterality: Right: Origin of Primary Grade AJCC Staging Clinical: G1: Low combined histologic grade (favorable), SBR sc Clinical: Group: 1B (cT1b / cN0 / dM Pathological: G2: Intermediate combined histologic grade (moderatel Pathological: Group: 1A (pT1 / pN0 / dM Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1 / ypN0 / dM Receptors Estrogen: ER positive PR negative Progesterone: PR negative HER2/neu: No regional nodes were examined No regional nodes were removed, but aspiration of regional nodes was performed No regional nodes were removed, but aspiration of regional nodes was performed N Removal: I Axillary Dissection I Sentinel Biopsy Index set	-							
Aracle AJCC Staging Clinical: G1: Low combined histologic grade (favorable), SBR sc Clinical: Group: 1B (CT1b / cN0 / dM Pathological: G2: Intermediate combined histologic grade (moderatel Pathological: Group: 1A (pT1 / pN0 / dM Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: Group: 1A (pT1 / pN0 / dM Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1 / ypN0 / dM Receptors Estrogen: ER positive PR negative Progesterone: PR negative HER2/neu: Negative (Score 1+) No nodes were examined No regional nodes were removed, but aspiration of regional nodes was performed No regional nodes were removed, but aspiration of regional nodes was performed No regional nodes were removed, but aspiration of regional nodes was performed				internet of the factor				
Clinical: G1: Low combined histologic grade (favorable), SBR sc Clinical: Group: 1B (cT1b / cN0 / dM Pathological: G2: Intermediate combined histologic grade (moderatel Pathological: Group: 1A (pT1 / pN0 / dMO Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1 / ypN0 / dMO Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1 / ypN0 / dMO Receptors Estrogen: ER positive Progesterone: PR negative HER2/neu: Negative (Score 1+) No nodes were examined No regional nodes were removed, but aspiration of regional nodes was performed N Removal: I Axillary Dissection I Sentinel Biopsy		- Sur Auguration	y			A ICC Stagin	<i>a</i>	
Pathological: G2: Intermediate combined histologic grade (moderatel Pathological: Group: 1A (pT1/pN0/cM0 Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1/ypN0/cM0 Receptors Estrogen: ER positive Progesterone: PR negative Progesterone: PR negative Visitive (Score 1+) Visitive (Score 1+) Visitive (Score 1+) Rodes Positive: No regional nodes were removed, but aspiration of regional nodes was performed No regional nodes were formed Visitive (Score 1+)		G1: Low combine	d histolo	aic arade (fevoreb)		-	_	B (cT1b / cN0 / cM0
Post Therapy: G1: Low combined histologic grade (favorable), SBR sc Post Therapy: Group: (ypT1 / ypN0 / dM0 Receptors Estrogen: ER positive Progesterone: PR negative HER2/neu: Negative (Score 1+) Indes were examined Indes were removed, but aspiration of regional nodes was performed No regional nodes were removed, but aspiration of regional nodes was performed Indes was performed Indes was performed								
Receptors Estrogen: ER positive Progesterone: PR negative HER2/neu: Negative (Score 1+) Iodes Positive: No nodes were examined Iodes Examined: No regional nodes were removed, but aspiration of regional nodes was performed N Removal: I Axillary Dissection	-					-		
Estrogen: ER positive Progesterone: PR negative HER2/neu: Negative (Score 1+) Iodes Positive: No nodes were examined Iodes Examined: No regional nodes were removed, but aspiration of regional nodes was performed N Removal: I Axillary Dissection		GT. LOW CONDINE	4 - 13 10 10	An Arane (ravarab)	o ,, oun au	Post merap	y. Group:	Ghi (Abia)
Progesterone: PR negative HER2/neu: Negative (Score 1+) Iodes Positive: No nodes were examined Iodes Examined: No regional nodes were removed, but aspiration of regional nodes was performed N Removal: Image: Axillary Dissection		ED positive						
HER2/neu: Negative (Score 1+) Iodes Positive: No nodes were examined Iodes Examined: No regional nodes were removed, but aspiration of regional nodes was performed N Removal: Image: Axillary Dissection	-							
Iodes Positive: No nodes were examined Iodes Examined: No regional nodes were removed, but aspiration of regional nodes was performed N Removal: Image: Axillary Dissection Image: Sentinel Biopsy	-	-	+)					
lodes Examined: No regional nodes were removed, but aspiration of regional nodes was performed N Removal: Image: Axillary Dissection Image: Sentinel Biopsy								
N Removal: Axillary Dissection Sentinel Biopsy				manual but me		al an dan war ar	formed	
		_			-	ai no des was pei	rormea	
umor Size (mm): 045			ection	🖬 Sentir	nel Biopsy			
	umor Size (mm):	045						
	Nodes Positive: Nodes Examined: LN Removal: Tumor Size (mm):	No regional nodes	were re		-	al nodes was pe	formed	
Family Cancer History Risk Assessment				No				
reast and/or ovarian cancer in 1st	Received Genetic Cou	nseling:	Yes	No				
reast and/or ovarian cancer in 1st r 2nd degree relatives:	Genetic Testing:		🖌 Yes	No				
reast and/or ovarian cancer in 1st r 2nd degree relatives: No eceived Genetic Counseling: Yes No	Genetic Testing Result		No Clinic	al Mutation				

Support Available at www.mycrstar.com